

November 28th, 2018

Sub-metering IoT: Efficiently Measuring Measures of Efficiency

Thomas Fisher











onset



H-129

HOB0[®] data logger
temp/RH/light/ext channel







Efficiency Vermont

D-48

P1201035

DENT
INSTRUMENTS

ELITEpro SP™
POWER METER


DIGITAL


1

2

LOGGING
ON


COMM








Example Poorly-performing Home



Example Well-performing Home





Timeseries

Scatterplot


Heatmap

Independent:

kW

Dependent:

kWh



Highcharts.com

AMI data for account 1891668152GMP and servicepoint 1898410834GMP




Time series - daily

Time series - 6 hour


Time series - hourly

Time series - 15 min

Heatmap



Oct 15 Oct 22 Oct 29 Nov 05 Nov 12 Nov 19 Nov 26 Dec 03 Dec 10 Dec 17 Dec 24 Dec 31



All Locations

Location 1

1st Floor Freezer

Beer Cooler

Cooler 2

Box 4

Location 2

OVERVIEW

REFRIGERATION UNIT HEALTH

GOOD
2

ALERTS
2

COST PER MONTH

AVERAGE	LAST MONTH	THIS MONTH
\$230	\$241	\$139

ALERTS

LOCATION 1 6:30AM >

First Floor Freezer
Box temperature is above 31F

LOCATION 1 6:30AM >


First Floor Freezer
Box temperature is above 31F

ANALYTICS

COST PER UNIT



POWER





2 million
BTU Boiler

Hurst
BOILER CO. INC.

Backup Oil
Furnace

LOUISVILLE



Questions?

